

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADADate of filing in State Engineer's Office OCT 15 2004

Returned to applicant for correction _____

Corrected application filed _____

Map filed OCT 28 2004

The applicant **ARROWHEAD MOBILE HOME PARK, LLC** hereby makeS application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **UNDERGROUND**
2. The amount of water applied for is **16.25 AFA Total Comb. Duty with Appl. No. 71774 0.10 CFS** second feet.
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Quasi-Municipal & DOMESTIC**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kind of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks") **SEE ATTACHMENT**
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **WITHIN THE SW¼ NE¼ OF SECTION 16, T19N, R19E, M.D.M., OR AT A POINT FROM WHICH THE NE CORNER OF SAID SECTION BEARS S 57°15'00" W. A DISTANCE OF 2977.12 FT. REFER TO THE SUPPORTING MAP FILED WITH THIS APPLICATION.**
6. Place of Use **WITHIN A PORTION OF THE SW¼ NE¼ OF SECTION 16, T19N, R19E, M.D.M., APN NO. 400-170-03 CONTAINING 4.40 ACRES. REFER TO SUPPORTING MAP FILED WITH THIS APPLICATION.**
7. Use will begin about **JANUARY 1ST** and end about **DECEMBER 31ST** of each year.
8. Description of proposed works **A DRILLED & CASED WELL EQUIPED WITH A PUMP, MOTOR AND TOTALIZING METER.**
9. Estimated cost of works **\$25,000.00 +/-**
10. Estimated time required to construct works **ONE (1) YEAR**
11. Estimated time required to complete the application of water to beneficial use **FIVE (5) YEARS**

12. Remarks: SEE ATTACHMENT

By **s/Suzan L. Ferguson**
SUZAN L. FERGUSON, AGENT
5405 MAE ANNE AVENUE
RENO, NV 89523

Compared sg/sc lt/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 71773 and 71774 shall not exceed 16.25 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The State Engineer is approving this application only because the quasi-municipal use at this site has occurred for over 40 years. There will be no increase in the draft on the underground resource due to the issuance of this permit. Water under this permit is limited to use at the existing facilities consisting of 56 mobile homes with associated landscaping and one laundry facility, located within the described place of use, being Washoe County APN 400-170-03. This water cannot be utilized for any new development. Any attempts to change the place of use or the manner of use of this permit will be denied.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second, but not to exceed 16.25 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

March 24, 2007

Proof of completion of work shall be filed on or before:

April 24, 2007

Water must be placed to beneficial use on or before:

March 24, 2009

Proof of the application of water to beneficial use shall be filed on or before:

April 24, 2009

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 24th day of March, A.D. 2006


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A _____

Certificate No. _____ Issued _____

**ATTACHMENT
FOR APPLICATIONS TO APPROPRIATE
ARROWHEAD MOBILE HOME PARK, LLC**

No. 12 - Remarks:

This Applicant recently learned that, in spite of the Mobile Home Park being in existence for approximately fifty (50) years, no prior owner(s) ever filed for or received permits from the Nevada State Engineer. Permittee agrees to install continuous flow water meters, and to conserve water. The total volume sought is believed to be quite excessive, the total volume to be proven upon filing the Proof of Beneficial Use after one (1) year of continuous use. Permittee further agrees to be bound by reasonable permit terms, as issued by the State Engineer.